Garfield County

Youth & Tobacco Data Summary 12th Grade

Year 2000

12th Grade Students Surveyed n= 29			10di 2000	County %	State %
Female	12th Grade S	tudents Surveyed	n= 29	100.0 %	100.0 %
Male 48.3 % 50.5 % Race/Ethnicity Students of Color 96.3 % 78.3 % County %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 15 26.7 %+/- 22.4 29.3 %+/- 3.2 Male n= 13 26.7 %+/- 12.6 6.5 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 13 6.7 %+/- 12.6 6.5 %+/- 1.7 Male n= 13 6.7 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 0.0 %+/- 0.0 0.9 %+/- 0.5 N+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 ° %+/- 0.0 5.6 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once <td>Gender</td> <td></td> <td></td> <td></td> <td></td>	Gender				
Students of Color Students of Color Students of Color White 96.3 % 78.3	Female			51.7 %	49.5 %
Students of Color White 3.7 % 96.3 % 96.3 % 78.3 % 21.7 % 96.3 % 96.3 % 78.3 % County %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 15 26.7 %+/- 22.4 29.3 %+/- 3.2 Male n= 13 * %+/- 0.0 26.1 %+/- 2.0 Total n= 28 17.9 %+/- 14.2 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 15 6.7 %+/- 12.6 6.5 %+/- 1.7 Male n= 13 * %+/- 0.0 19.4 %+/- 2.3 Total n= 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n= 13 * %+/- 0.0 2.4 %+/- 0.9 Total n= 28 0.0 %+/- 0.0 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 2 0.0 %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.	Male			48.3 %	50.5 %
White 96.3 % 78.3 % State %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 15 26.7 %+/- 22.4 29.3 %+/- 3.2 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.1 %+/- 2.0 26.5 %+/- 2.0 26.1 %+/- 2.0 26.5 %+/- 2	Race/Ethnici	ty			
County %+/- Margin of Error	Students of 0	Color		3.7 %	21.7 %
Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 15 26.7 %+/- 2.4 29.3 %+/- 2.0 Male n= 13 * %+/- 0.0 26.1 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 15 6.7 %+/- 12.6 6.5 %+/- 1.7 Male n= 13 * %+/- 0.0 19.4 %+/- 2.3 Total n= 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked cigars at least once Female n= 13 * %+/- 0.0 19.4 %+/- 2.3 Total n= 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n= 13 * %+/- 0.0 2.4 %+/- 0.5 Total n= 28 0.0 %+/- 0.0 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.0 Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.0 Male n= 13 * %+/- 0.0 7.2 %+/- 1.0 Total n= 28 0.0 %+/- 0.0 1.3 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Past 30 days, youth who have used any tobacco product at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 0.0 %+/- 0.0 3.18 %+/- 3.2 Past 30 days, youth who have used any tobacco product at least once Female n= 15 0.0 %+/- 0.0 3.18 %+/- 3.2 Past 30 days, youth who have used any tobacco product at least once Female n= 15 0.0 %+/- 0.0 3.93 %+/- 2.0	White			96.3 %	78.3 %
Past 30 days, youth who have smoked cigarettes at least once Female n = 15 26.7 %+/- 22.4 29.3 %+/- 3.2 Male n = 13 * %+/- 0.0 26.1 %+/- 2.6 Total n = 28 7.9 %+/- 14.2 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n = 15 6.7 %+/- 10.0 19.4 %+/- 2.3 Total n = 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n = 13 * %+/- 0.0 2.4 %+/- 0.9 Total n = 28 0.0 %+/- 0.0 2.4 %+/- 0.9 Semale n = 15 0.0 %+/- 0.0 2.4 %+/- 0.5 Semale n = 15 0.0 %+/- 0.0 1.7 %+/- 0.5 Semale n = 15 0.0 %+/- 0.0 5.6 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 5.6 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.0 8.8 %+/- 1.3 Semale n = 15 8.6 %+/- 9.0 8.8 %+/- 9.3 Semale n = 15 8.6 %+/- 9.0 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8				County %+/-	State %+/-
Past 30 days, youth who have smoked cigarettes at least once Female n = 15 26.7 %+/- 22.4 29.3 %+/- 3.2 Male n = 13 * %+/- 0.0 26.1 %+/- 2.6 Total n = 28 7.9 %+/- 14.2 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n = 15 6.7 %+/- 10.0 19.4 %+/- 2.3 Total n = 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n = 13 * %+/- 0.0 2.4 %+/- 0.9 Total n = 28 0.0 %+/- 0.0 2.4 %+/- 0.9 Semale n = 15 0.0 %+/- 0.0 2.4 %+/- 0.5 Semale n = 15 0.0 %+/- 0.0 1.7 %+/- 0.5 Semale n = 15 0.0 %+/- 0.0 5.6 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 5.6 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 6.5 %+/- 1.5 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Semale n = 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.9 8.8 %+/- 1.3 Semale n = 15 7.4 %+/- 9.0 8.8 %+/- 1.3 Semale n = 15 8.6 %+/- 9.0 8.8 %+/- 9.3 Semale n = 15 8.6 %+/- 9.0 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8 %+/- 9.3 8.8				Margin	Margin
Past 30 days, youth who have smoked cigarettes at least once Female n = 15 26.7 %+/- 22.4 29.3 %+/- 2.6 Male n = 13 * %+/- 0.0 26.1 %+/- 2.6 Total n = 28 17.9 %+/- 14.2 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n = 15 6.7 %+/- 0.0 19.4 %+/- 2.3 Total n = 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n = 13 * %+/- 0.0 2.4 %+/- 0.9 Total n = 28 0.0 %+/- 0.0 2.4 %+/- 0.9 Total n = 28 0.0 %+/- 0.0 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 15 0.0 %+/- 0.0 7.2 %+/- 1.6 Male n = 13 * %+/- 0.0 7.2 %+/- 1.5 Total n = 28 0.0 %+/- 0.0 6.5 %+/- 1.6 Male n = 13 0.0 %+/- 0.0 6.5 %+/- 1.0 Total n = 28 0.0 %+/- 0.0 6.5 %+/- 1.6 Male n = 15 0.0 %+/- 0.0 6.5 %+/- 1.0 Total n = 28 0.0 %+/- 0.0				_	_
Female			ked cigarettes		
Male Total n= 13 n= 28 * %+/- 0.0 26.1 %+/- 2.6 * %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 15 n= 13 m= 13 m= 28 6.7 %+/- 12.6 n= 6.5 %+/- 1.7 6.5 %+/- 1.7 Male n= 13 n= 28 3.6 %+/- 6.9 n= 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 n= 15 n= 13 n= 28 0.0 %+/- 0.0 n= 0.9 %+/- 0.0 n= 0.9 %+/- 0.9 Male n= 13 n= 28 n= 15 n= 13 n= 28 0.0 %+/- 0.0 n= 0.0 m= 0.0 m				26 7 %+/- 22 4	29 3 %+/- 3 2
Total n = 28					
Past 30 days, youth who have smoked cigars at least once Female n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 Male n= 15 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 Male n= 13 Total n= 28 D.0 %+/- 0.0 D.0 %+/-					
Female n= 15 6.7 %+/- 12.6 6.5 %+/- 1.7 Male n= 13 * %+/- 0.0 19.4 %+/- 2.3 Total n= 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n= 13 * %+/- 0.0 2.4 %+/- 0.9 Total n= 28 0.0 %+/- 0.0 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 * %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 <				70 70 7 1112	2110 70 7
Male n= 13 * %+/- 0.0 19.4 %+/- 2.3 Total n= 28 3.6 %+/- 6.9 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 0.0 %+/- 0.0 0.9 %+/- 0.9 0.5 Male n= 13 * %+/- 0.0 2.4 %+/- 0.9 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 * %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 15 26.7 %+/- 0.0 39.3 %+/- 2.9	•	. •	ked cigars at least once		
Total n= 28 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 Male n= 12 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 Male n= 12 Past 30 days, youth who have used any tobacco product at least once Female n= 15 Male n= 16 Male n= 17 Male n= 18 Male n= 18 Male n= 18 Male n= 19 Male n=					
Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 Male n= 15 Male n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 Male n= 13 Total n= 28 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 Male n= 12 Total n= 27 Past 30 days, youth who have used any tobacco product at least once Female n= 15 Male n= 12 Total n= 27 Past 30 days, youth who have used any tobacco product at least once Female n= 15 Male n= 15 Past 30 days, youth who have used any tobacco product at least once Female n= 15 Male n= 16 Male n= 17 Male n= 18 Male n= 19 Male n					
at least once Female n= 15 0.0 %+/- 0.0 0.9 %+/- 0.5 Male n= 13 * %+/- 0.0 2.4 %+/- 0.9 Total n= 28 0.0 %+/- 0.0 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 * %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 15 26.7 %+/- 0.0 39.3 %+/- 2.9	Total	n= 28		3.6 %+/- 6.9	13.1 %+/- 1.4
Female Name n= 15	-		ked tobacco in a pipe		
Male n= 13 * %+/- 0.0 2.4 %+/- 0.9 Total n= 28 0.0 %+/- 0.0 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 * %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9					
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once 0.0 %+/- 0.0 1.7 %+/- 0.5 Female n= 15 ndle n= 13 ndle n= 28 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 ndle n= 28 0.0 %+/- 0.0 7.2 %+/- 1.3 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 ndle n= 12 ndle n= 12 ndle n= 12 ndle n= 27 0.0 %+/- 0.0 ndle n= 1.3 %+/- 2.3 Total n= 27 ndle n= 27 7.4 %+/- 9.9 ndle n= 1.3 Past 30 days, youth who have used any tobacco product at least once 26.7 %+/- 22.4 ndle n= 1.2 Female n= 15 ndle n= 15 ndle n= 15 ndle n= 15 ndle n= 12 ndl	Female	n= 15			
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female	Male	n= 13			
at least once Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 * %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	Total	n= 28		0.0 %+/- 0.0	1.7 %+/- 0.5
Female n= 15 0.0 %+/- 0.0 5.6 %+/- 1.6 Male n= 13 * %+/- 0.0 7.2 %+/- 1.3 Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	Past 30 days	, youth who have smo	ked bidis (flavored cigarettes)		
Male Total n= 13 n= 28 * %+/- 0.0 7.2 %+/- 1.3 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 n= 12 n= 12 n= 12 n= 12 0.0 %+/- 0.0 1.3 %+/- 1.0 1.3 %+/- 1.0 1.3 %+/- 2.3 1.3 %+/- 2.3 1.3 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 n= 15 n= 15 n= 12 26.7 %+/- 22.4 31.8 %+/- 3.2 1.3 1.3 %+/- 2.9 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	at least once)			
Total n= 28 0.0 %+/- 0.0 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	Female	n= 15		0.0 %+/- 0.0	5.6 %+/- 1.6
Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	Male	n= 13		* %+/- 0.0	7.2 %+/- 1.3
(chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	Total	n= 28		0.0 %+/- 0.0	6.5 %+/- 1.0
(chewing tobacco, snuff or dip) at least once Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	Past 30 davs	. vouth who have used	l smokeless tobacco		
Female n= 15 0.0 %+/- 0.0 1.3 %+/- 1.0 Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9					
Male n= 12 * %+/- 0.0 16.3 %+/- 2.3 Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	`			0.0 %+/- 0.0	1.3 %+/- 1.0
Total n= 27 7.4 %+/- 9.9 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 15 26.7 %+/- 22.4 31.8 %+/- 3.2 Male n= 12 * %+/- 0.0 39.3 %+/- 2.9					
at least once Female n= 15 Male n= 12 26.7 %+/- 22.4 31.8 %+/- 3.2 * %+/- 0.0 39.3 %+/- 2.9					
at least once Female n= 15 Male n= 12 26.7 %+/- 22.4 31.8 %+/- 3.2 * %+/- 0.0 39.3 %+/- 2.9	Past 30 days	, youth who have used	l any tobacco product		
Male n= 12 * %+/- 0.0 39.3 %+/- 2.9	•	. •	-		
	Female	n= 15		26.7 %+/- 22.4	31.8 %+/- 3.2
	Male	n= 12		* %+/- 0.0	39.3 %+/- 2.9
	Total	n= 27		22.2 %+/- 15.7	

Source: Washington State Department of Health Tobacco Prevention and Control Assessment and Evaluation n = number of survey respondents for county.

* = Rate not calculated because number of responses was less than 15.

Garfield County

Youth & Tobacco Data Summary 12th Grade Year 2000

real 2000	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life? None 1/2 pack or less 1 - 4 packs 5 or more packs	n= 28 53.6 %+/- 18.5 14.3 %+/- 13.0 7.1 %+/- 9.5 25.0 %+/- 16.0	40.5 %+/- 2.1 23.9 %+/- 1.8 11.6 %+/- 1.4 24.0 %+/- 1.9
Do you want to stop using tobacco right now? (among current tobacco users) Yes	n= 6 * %+/- 0.0	63.6 %+/- 4.2
Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes	n= 5 * %+/- 0.0	4.2 %+/- 1.6
During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes	n= 3 * %+/- 0.0	63.9 %+/- 4.8
Do you think you will smoke a cigarette at any time during the next year? Definitely no	n= 26 50.0 %+/- 19.2	51.8 %+/- 2.2
If one of your best friends offered you a cigarette, would you smoke it? Definitely no	n= 26 57.7 %+/- 19.0	56.7 %+/- 2.2
Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible	n= 26 53.8 %+/- 19.2	50.1 %+/- 2.2
If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days) Definitely no	n= 21 71.4 %+/- 19.3	76.9 %+/- 2.0
Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you? Definitely yes or Probably yes	n= 26 96.2 %+/- 7.4	92.9 %+/- 1.4
Do you think it is safe to smoke for only a year or two, as long as you quit after that? Definitely no	n= 29 82.8 %+/- 13.7	64.3 %+/- 2.1

Garfield County

Youth & Tobacco Data Summary 12th Grade Year 2000

real 2000	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 29 10.3 %+/- 11.1	40.4 %+/- 2.1
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 28 21.4 %+/- 15.2	20.0 %+/- 1.7
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= 24 29.2 %+/- 18.2	34.5 %+/- 3.3
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= 24 20.8 %+/- 16.2	25.2 %+/- 3.1
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 29 6.9 %+/- 9.2	14.8 %+/- 1.5
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= 27 63.0 %+/- 18.2	73.2 %+/- 2.0
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= 29 37.9 %+/- 17.7	25.9 %+/- 2.0
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= 29 6.9 %+/- 9.2	9.6 %+/- 1.3
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 29 48.3 %+/- 18.2	63.8 %+/- 2.1
Does anyone who lives with you now smoke cigarettes? Yes	n= 25 44.0 %+/- 19.5	36.4 %+/- 3.4